



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Sub-Tg enthalpy relaxation in unstable oxide glass formers: insights into the structural heterogeneity

An Invited Talk

Yue, Yuanzheng; Zhang, Yanfei

Publication date:
2013

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Yue, Y., & Zhang, Y. (2013). *Sub-Tg enthalpy relaxation in unstable oxide glass formers: insights into the structural heterogeneity: An Invited Talk*. Abstract from 7th International Discussion Meeting on Relaxations in Complex Systems, Barcelona, Spain. <https://idmrscs7.upc.edu/index.html>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Sub- T_g enthalpy relaxation in unstable oxide glass formers: insights into the structural heterogeneity**Yue, Yuanzheng¹; Zhang, Yanfei²**

(1) Aalborg University; (2) Shanong Polytechnic University

The structural heterogeneity in liquid has a strong impact on both glass stability and functionality of glass. Exploring the structural heterogeneity is crucial for understanding the glass transition and glass formation. However, one of the challenges for such exploration is lack of an effective method for detecting the structural heterogeneity in liquid. Here, we introduce a promising approach for detecting the structural heterogeneity in unstable oxide glass formers. This approach takes advantage of abundant features of the sub- T_g enthalpy relaxation in hyperquenched (HQ) unstable oxide glasses. We conduct the present study on the two unstable model glasses (towards crystallization): 65SiO₂-35Al₂O₃ (SA) and 57SiO₂-21CaO-22MgO (SCM) (mol%). This is done by hyperquenching the liquids via fiberization, annealing the HQ samples below T_g , and then upscanning the annealed samples in a differential scanning calorimeter (DSC). For SA, we find that both sub- T_g annealing and repeated dynamic heating to T_g can greatly enhance structural ordering, and facilitate crystal growth upon further heating to well above T_g . The results indicate that highly heterogeneous structure already exists in the liquid state. For SCM, we observe two exothermic sub-peaks in sub- T_g relaxation region during the first DSC upscan, implying that two types of structural domains occur already in the liquid state before HQ. The existence of the two types of structural domains is verified by direct transmission electron microscopy imaging. By performing sub- T_g annealing, we find that one type of structural domain is fragile, whereas another is strong. In addition, the sub- T_g annealing can be used as a sensitive tool for determining the glass forming ability.